

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(DUT or (device near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:41
L2	1	(DUT or (system near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:39
L3	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and (DUT or (system near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:41
L4	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls. "710"/\$.ccls.) and (DUT or (system near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:41
L5	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls. "710"/\$.ccls.) and (DUT or (system near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)	US-PGPUB	OR	ON	2005/09/24 15:41
L6	1	((DUT or (device near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:41

L7	1	((DUT or (device near2 under near2 test)) and (lane with card with (transmit transmitting) with data) and (test with pattern) and (deskew with evaluat\$3 with information) and (arbitrarily with long with test with data)).clm.	US-PGPUB	OR	ON	2005/09/24 15:42
L10	1	((select\$3 with test with pattern) same (lane with counter)) and (pattern with seed) and (select\$3 with test with seed) and (stor\$3 with test with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:47
L11	1	((select\$3 with test with pattern) same (lane with counter)) and (pattern with seed) and (select\$3 with test with seed) and (stor\$3 with test with pattern)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:46
L12	1	((select\$3 with test with pattern) same (lane with counter)) and (pattern with seed) and (select\$3 with test with seed) and (stor\$3 with test with pattern)).clm.	US-PGPUB	OR	ON	2005/09/24 15:46
L13	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((select\$3 with test with pattern) same (lane with counter)) and (pattern with seed) and (select\$3 with test with seed) and (stor\$3 with test with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:47
L14	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((select\$3 with test with pattern) same (lane with counter)) and (pattern with seed) and (select\$3 with test with seed) and (stor\$3 with test with pattern)	US-PGPUB	OR	ON	2005/09/24 15:48
L15	1	((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))	US-PGPUB	OR	ON	2005/09/24 15:52

L16	1	((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:53
L17	1	((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:53
L18	1	((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))).clm.	US-PGPUB	OR	ON	2005/09/24 15:53
L19	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:53
L20	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((lane with counter) same (select\$3 with test with pattern)) and (stor\$3 with pattern) and ((anticipated with pattern) same (evaluat\$3 with test with pattern)) and ((flag\$4 with error with condition) same (anticipated with pattern))	US-PGPUB	OR	ON	2005/09/24 15:55
L21	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((lane with counter) same (pattern with seed)) and (stor\$3 with pattern) and (mux same (select\$3 with pattern)) and ((pattern with seed) same mux)	US-PGPUB	OR	ON	2005/09/24 15:57

L22	1	("702"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "375"/\$.ccls.) and ((lane with counter) same (pattern with seed)) and (stor\$3 with pattern) and (mux same (select\$3 with pattern)) and ((pattern with seed) same mux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:58
L23	1	((lane with counter) same (pattern with seed)) and (stor\$3 with pattern) and (mux same (select\$3 with pattern)) and ((pattern with seed) same mux)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:58
L24	1	((lane with counter) same (pattern with seed)) and (stor\$3 with pattern) and (mux same (select\$3 with pattern)) and ((pattern with seed) same mux)). clm.	US-PGPUB	OR	ON	2005/09/24 15:58
S1	16	("20030043434" "5477531" "5568471" "5905713" "6108800" "6122670" "6233256" "6345302").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 15:35
S2	11	("20030043434" "20030219040" "6173333" "6279124" "6336192" "6557110").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:59
S3	25	S1 or S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:19
S4	6	S3 and (physical with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:34
S5	0	S4 and (lane near2 card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:01

S6	1	S4 and (lane near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:01
S7	1	S6 and (transmit\$4 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:11
S8	0	S7 and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:03
S9	0	S3 and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:03
S10	2	S3 and (deskew with lane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:03
S11	1	S7 and (deskew with lane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:03
S12	0	S11 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:03
S13	0	(test\$3 with system) and (physical with layer) and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:44

S14	3	(test\$3 with system) and (physical with layer) and (deskew with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:37
S15	0	S14 and (data with lane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:08
S16	3	S14 and (transmit\$4 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:11
S17	1	S16 and (test\$3 with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:11
S18	1	(transmit\$4 with data) and (lane near2 card) and (physical with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:36
S19	111	(transmit\$4 with data) and (lane near2 data) and (physical with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:28
S20	2	S19 and (deskew with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:31
S21	0	S20 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:38

S22	4	S19 and (deskew\$3 with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:06
S23	0	S22 and (evaluat\$3 estimat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:07
S24	0	S22 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:07
S25	0	S22 and calibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:08
S26	1	S22 and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:08
S27	16	("20030043434" "5477531" "5568471" "5905713" "6108800" "6122670" "6233256" "6345302").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:19
S28	11	("20030043434" "20030219040" "6173333" "6279124" "6336192" "6557110").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:19
S29	25	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:27

S30	8	S29 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:22
S31	0	(transmit\$6 with test with data) and (lane with counter) and (physical with layer) and (test with pattern) and select\$3 and stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:24
S32	0	(transmit\$6 with data) and (lane with counter) and (physical with layer) and (test with pattern) and select\$3 and stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:24
S33	0	S29 and (test\$3 with pattern) and (data with lane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:27
S34	46	(transmit\$4 with data) and (test\$3 with pattern) and (data with lane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:27
S36	13	S34 and (physical with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:35
S37	3	S36 and (deskew skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:32
S38	0	S36 and SF1-5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:32

S40	0	(physical with layer) and SF1-5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:34
S41	0	(physical with layer) and "SF1-5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:51
S42	4	S34 and arbitrarily	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:03
S43	0	"68167979".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:04
S44	2	"6816797".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:57
S45	1	(receiv\$3 with data) and (test\$3 with pattern) and (lane with count\$3) and (flag\$4 with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 11:28
S46	0	(receiv\$3 with data) and (test\$3 with pattern) and (lane with count\$3) and (flag\$4 with error) and (select\$3 with test\$3 with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 11:29
S48	1	(receiv\$3 with data) and (test\$3 with pattern) and (lane with count\$3) and (flag\$4 with error) and (stor\$3 with test\$3 with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 11:30

S49	6	"SF1-5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:43
S50	11	Serdes near2 Framer near2 Interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:44
S51	2	S50 and (test\$3 with system) and (physical with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:44
S52	1	10/789697	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:38
S53	1	((device with under with test) or DUT) and (layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:40
S54	2	"6183307".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:34
S55	1	((((device with under with test) or DUT) and (layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with information)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:20
S56	1	((device with under with test) or DUT) and (deskew with lane) and (deskew with card) and (test with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:39

S57	1	((device with under with test) or DUT) and (deskew with lane) and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:39
S58	1	((device with under with test) or DUT) and (layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:44
S59	1	(layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:45
S60	1	((layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with card)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 01:45
S61	1	((layer with communication) and (lane with card) and (transmit\$4 with data) and (test with pattern) and (deskew with card)).clm.	US-PGPUB	OR	ON	2005/09/08 01:48
S62	1	"6031847".pn. or 10/044749	US-PGPUB	OR	ON	2005/09/08 01:51
S63	2	"6031847".pn. or 10/044749	US-PGPUB; USPAT	OR	ON	2005/09/08 10:26
S64	1	S63 and (test\$3 with pattern)	US-PGPUB; USPAT	OR	ON	2005/09/08 01:51
S68	2	("20040177291" "6031847").PN.	US-PGPUB; USPAT	OR	ON	2005/09/08 10:26
S69	1	S68 and (test with pattern)	US-PGPUB; USPAT	OR	ON	2005/09/08 10:27
S70	1	S69 and deskew	US-PGPUB; USPAT	OR	ON	2005/09/08 10:28
S71	1	((evaluat\$4 estimat\$3 analy\$3) with deskew with information) same (layer with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:39

S72	1	((evaluat\$4 estimat\$3 analy\$3 test\$3) with deskew with information) same (layer with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:39
-----	---	--	---	----	----	------------------